Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	(hash$3 or encryption) with (content or data) with file and (search$4 or rank$4 or sort$4 or list$4 or order$4 or select$4 or menu) and (second or previous or existing or old or original) same (assign$4 or generat$4 or creat$4) with (hash$3 or encryption) with (name or namespace) and (match$4 or compar$5) and loop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:42
L2	9	(hash$3 or encryption) with (content or data) with file and (search$4 or rank$4 or sort$4 or list$4 or order$4 or select$4 or menu) and (second or previous or existing or old or original) same (assign$4 or generat$4 or creat$4) with (hash$3 or encryption) with (name or namespace) and (match$4 or compar$5) and (loop$4 or cycle or CRC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 08:07
L3	106	(hash$3 or encryption) with (content or data) with file and (search$4 or rank$4 or sort$4 or list$4 or order$4 or select$4 or menu) and (second or previous or existing or old or original) and (assign$4 or generat$4 or creat$4) with (hash$3 or encryption) with (name or namespace) and (match$4 or compar$5) and (loop$4 or cycle or CRC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 08:17
L4	9	(hash$3 or encryption) with (content or data) with file and (search$4 or rank$4 or sort$4 or list$4 or order$4 or select$4 or menu) and (second or previous or existing or old or original) and (assign$4 or generat$4 or creat$4) with (hash$3 or encryption) with (name or namespace) same (match$4 or compar$5) and (loop$4 or cycle or CRC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:10

L5	11	(hash$3 or encryption) with (content or data) same file and (search$4 or rank$4 or sort$4 or list$4 or order$4 or select$4 or menu) and (second or previous or existing or old or original) and (assign$4 or generat$4 or creat$4) with (hash$3 or encryption) with (name or namespace) same (match$4 or compar$5) and (loop$4 or cycle or CRC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:33
L6	2	"5884298".pn. and name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:35
L7	2	"5884298".pn. and name same hash$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:50
L8	521	file with name with hash$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:50
L9	442	file with name with hash$3 and hash$4 with file and (compar$4 or match$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:51
L10	0	file with name with hash$3 and hash$4 with file and (compar$4 or match$4) and loop$back and lock$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:52
L11	61	file with name with hash$3 and hash$4 with file and (compar$4 or match$4) and loop and lock$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:52

L12	28	file with name with hash$3 and hash$4 with file with content and (compar$4 or match$4) and loop and lock$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:53
L13	50	file with name with hash$3 and hash$4 with file with content and (compar$4 or match$4) and (loop or cycle or repeat$4) and lock$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:56
L14	50	file with name with hash$3 and hash$4 with file with content and (compar$4 or match$4) and (loop or cycle or repeat$4) and lock$4 and (second or another or other or original or base or old or existing) same file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:57
L15	44	file with name with hash$3 and hash$4 with file with content and (compar$4 or match$4) and (loop or cycle or repeat$4) and lock$4 and (second or another or other or original or base or old or existing) same file same (creat$4 or assign$4 or generat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:58